

**BROILER**  
**Performance**  
**Objectives**

June 2007



## Introduction

This booklet contains the performance objectives for **Ross 708** Broiler and is to be used with the Ross Broiler Management Manual.

## Performance

These objectives indicate the performance achievable under good management and environmental conditions and when feeding nutrient levels described in the **Ross 708** Broiler Nutrition Specification. Many customers already exceed the performance objectives described here and they indicate the performance of the top 25% flocks worldwide.

Producers may find that local factors prevent such performance being achieved. For example:

- The availability of raw materials may limit nutrient content and intake.
- Extreme climatic conditions will reduce performance.
- Economic considerations may limit choice of production systems.

Therefore average performance may be 10 to 20% lower.

The objectives are presented in two sections to reflect the global nature of the publication. **Section g** contains the performance data in metric measurement and **Section lb** contains imperial measurements.

In the tables values are rounded, this may result in small inaccuracies when using the objectives to calculate other performance statistics.

Yields will vary between processing plants depending on type of equipment used and the exact portion being produced.

For further information on the management of Ross stock, please contact your local Technical Service Manager or the Technical Service Department.

## Contents

04		<b>Key Management Points</b>
06-07	Section <i>g</i>	<b>As-Hatched Performance</b>
08-09	Section <i>g</i>	<b>Male Performance</b>
10-11	Section <i>g</i>	<b>Female Performance</b>
14-15	Section <i>lb</i>	<b>As-Hatched Performance</b>
16-17	Section <i>lb</i>	<b>Male Performance</b>
18-19	Section <i>lb</i>	<b>Female Performance</b>
20-21		<b>Carcase Yield</b>

## Key Management Points

The **Ross 708** produces robust broilers with superb conformation, feed efficiency and meat yield which together result in the lowest white meat cost in the industry. This product is specifically designed for companies growing roosters or broilers for cut-up and deboning. Cost effective production of chicken meat depends on achieving good bird performance and the following points are important to achieve optimum performance of the **Ross 708** broiler:

- Maximise chick quality by good management of hatching, storage and transport conditions.
- Design the brooding set-up to ensure easy access to water and feed at placement and to ease the transition between supplementary systems and the automated feeders and drinkers at 4-5 days. Feed a highly digestible, high quality Starter diet.
- Keep chicks in their thermal comfort zone by monitoring chick behaviour, but beware of low relative humidities (less than 50% RH). Establish a minimum ventilation programme from day one.
- Monitor crop fill, feeding and drinking behaviour and 7 day liveweight to allow continuous improvement of the brooding set-up.
- Keep birds in their thermal comfort zone throughout the growing period. Fast growing broilers produce large amounts of heat, particularly in the second half of the growout period. Keeping ambient temperatures less than 21°C (69.8°F) from 21 days onwards may improve growth rates.
- Maintain high standards of biosecurity and cleanliness to keep disease to a minimum.

## Contents (g)

06-07 **Section** *g* **As-Hatched Performance**

08-09 **Section** *g* **Male Performance**

10-11 **Section** *g* **Female Performance**

## As-Hatched Performance

Day	Bodyweight (g)	Daily gain (g)	Av. daily gain/week (g)	Daily intake (g)	Cum. intake (g)	FCR
0	41					
1	55	14				
2	69	14				
3	85	16				
4	104	19				
5	124	20				
6	147	23				
7	173	26	18.86		151	0.873
8	201	28		35	186	0.925
9	232	31		39	225	0.970
10	265	33		43	268	1.011
11	302	37		47	315	1.043
12	341	39		52	367	1.076
13	383	42		57	424	1.107
14	429	46	36.57	61	485	1.131
15	477	48		67	552	1.157
16	527	50		72	624	1.184
17	581	54		77	701	1.207
18	638	57		83	784	1.229
19	697	59		88	872	1.251
20	758	61		94	966	1.274
21	823	65	56.29	99	1065	1.294
22	889	66		106	1171	1.317
23	958	69		111	1282	1.338
24	1030	72		116	1398	1.357
25	1103	73		123	1521	1.379
26	1178	75		128	1649	1.400
27	1255	77		133	1782	1.420
28	1333	78	72.86	139	1921	1.441
29	1414	81		145	2066	1.461
30	1495	81		150	2216	1.482
31	1578	83		155	2371	1.503
32	1662	84		159	2530	1.522
33	1746	84		166	2696	1.544
34	1832	86		169	2865	1.564
35	1918	86	83.57	174	3039	1.584

## As-Hatched Performance continued

Day	Bodyweight (g)	Daily gain (g)	Av. daily gain/week (g)	Daily intake (g)	Cum. intake (g)	FCR
36	2005	87		178	3217	1.604
37	2092	87		183	3400	1.625
38	2180	88		187	3587	1.645
39	2268	88		190	3777	1.665
40	2356	88		194	3971	1.685
41	2443	87		198	4169	1.707
42	2530	87	87.43	201	4370	1.727
43	2617	87		203	4573	1.747
44	2704	87		207	4780	1.768
45	2790	86		210	4990	1.789
46	2876	86		212	5202	1.809
47	2961	85		214	5416	1.829
48	3045	84		216	5632	1.850
49	3129	84	85.57	219	5851	1.870
50	3212	83		220	6071	1.890
51	3293	81		222	6293	1.911
52	3374	81		224	6517	1.932
53	3454	80		225	6742	1.952
54	3533	79		225	6967	1.972
55	3611	78		227	7194	1.992
56	3687	76	79.71	228	7422	2.013
57	3762	75		229	7651	2.034
58	3836	74		229	7880	2.054
59	3909	73		230	8110	2.075
60	3981	72		230	8340	2.095
61	4051	70		230	8570	2.116
62	4120	69		230	8800	2.136
63	4188	68	71.57	231	9031	2.156
64	4255	67		231	9262	2.177
65	4320	65		230	9492	2.197
66	4384	64		230	9722	2.218
67	4446	62		230	9952	2.238
68	4507	61		229	10181	2.259
69	4567	60		229	10410	2.279
70	4626	59	62.57	229	10639	2.300

### NOTE

*In the table values are rounded, this may result in small inaccuracies when using the objectives to calculate other performance statistics.*

## Male Performance

Day	Bodyweight (g)	Daily gain (g)	Av. daily gain/week (g)	Daily intake (g)	Cum. intake (g)	FCR
0	41					
1	54	13				
2	69	15				
3	85	16				
4	104	19				
5	125	21				
6	148	23				
7	175	27	19.14		152	0.869
8	204	29		36	188	0.922
9	236	32		41	229	0.970
10	271	35		45	274	1.011
11	309	38		50	324	1.049
12	351	42		54	378	1.077
13	395	44		60	438	1.109
14	443	48	38.29	65	503	1.135
15	494	51		70	573	1.160
16	549	55		76	649	1.182
17	606	57		81	730	1.205
18	667	61		88	818	1.226
19	730	63		93	911	1.248
20	797	67		99	1010	1.267
21	866	69	60.43	105	1115	1.288
22	938	72		111	1226	1.307
23	1013	75		117	1343	1.326
24	1090	77		123	1466	1.345
25	1170	80		130	1596	1.364
26	1251	81		135	1731	1.384
27	1335	84		140	1871	1.401
28	1421	86	79.29	147	2018	1.420
29	1509	88		152	2170	1.438
30	1598	89		158	2328	1.457
31	1688	90		163	2491	1.476
32	1780	92		168	2659	1.494
33	1873	93		174	2833	1.513
34	1967	94		178	3011	1.531
35	2062	95	91.57	182	3193	1.548



## Male Performance continued

Day	Bodyweight (g)	Daily gain (g)	Av. daily gain/week (g)	Daily intake (g)	Cum. intake (g)	FCR
36	2157	95		188	3381	1.567
37	2253	96		191	3572	1.585
38	2349	96		196	3768	1.604
39	2446	97		199	3967	1.622
40	2543	97		203	4170	1.640
41	2639	96		207	4377	1.659
42	2735	96	96.14	210	4587	1.677
43	2831	96		212	4799	1.695
44	2926	95		216	5015	1.714
45	3021	95		218	5233	1.732
46	3116	95		221	5454	1.750
47	3209	93		222	5676	1.769
48	3302	93		225	5901	1.787
49	3394	92	94.14	227	6128	1.806
50	3485	91		228	6356	1.824
51	3575	90		230	6586	1.842
52	3664	89		231	6817	1.861
53	3752	88		232	7049	1.879
54	3839	87		233	7282	1.897
55	3924	85		234	7516	1.915
56	4008	84	87.71	234	7750	1.934
57	4091	83		235	7985	1.952
58	4172	81		236	8221	1.971
59	4252	80		236	8457	1.989
60	4330	78		235	8692	2.007
61	4407	77		235	8927	2.026
62	4483	76		235	9162	2.044
63	4557	74	78.43	235	9397	2.062
64	4630	73		235	9632	2.080
65	4701	71		235	9867	2.099
66	4771	70		234	10101	2.117
67	4839	68		234	10335	2.136
68	4906	67		233	10568	2.154
69	4971	65		232	10800	2.173
70	5035	64	68.29	231	11031	2.191

### NOTE

*In the table values are rounded, this may result in small inaccuracies when using the objectives to calculate other performance statistics.*

## Female Performance

Day	Bodyweight (g)	Daily gain (g)	Av. daily gain/week (g)	Daily intake (g)	Cum. intake (g)	FCR
0	41					
1	55	14				
2	69	14				
3	85	16				
4	103	18				
5	123	20				
6	146	23				
7	171	25	18.57		149	0.871
8	198	27		34	183	0.924
9	227	29		37	220	0.969
10	259	32		41	261	1.008
11	294	35		45	306	1.041
12	331	37		49	355	1.073
13	371	40		54	409	1.102
14	414	43	34.71	58	467	1.128
15	459	45		63	530	1.155
16	506	47		68	598	1.182
17	556	50		73	671	1.207
18	609	53		78	749	1.230
19	663	54		84	833	1.256
20	720	57		88	921	1.279
21	779	59	52.14	94	1015	1.303
22	841	62		100	1115	1.326
23	904	63		105	1220	1.350
24	969	65		110	1330	1.373
25	1036	67		116	1446	1.396
26	1104	68		121	1567	1.419
27	1174	70		126	1693	1.442
28	1246	72	66.71	131	1824	1.464
29	1318	72		137	1961	1.488
30	1392	74		142	2103	1.511
31	1467	75		147	2250	1.534
32	1543	76		151	2401	1.556
33	1620	77		157	2558	1.579
34	1697	77		160	2718	1.602
35	1775	78	75.57	166	2884	1.625

## Female Performance continued

Day	Bodyweight (g)	Daily gain (g)	Av. daily gain/week (g)	Daily intake (g)	Cum. intake (g)	FCR
36	1853	78		169	3053	1.648
37	1931	78		174	3227	1.671
38	2010	79		178	3405	1.694
39	2089	79		181	3586	1.717
40	2168	79		185	3771	1.739
41	2247	79		189	3960	1.762
42	2325	78	78.57	192	4152	1.786
43	2403	78		195	4347	1.809
44	2481	78		198	4545	1.832
45	2559	78		201	4746	1.855
46	2636	77		203	4949	1.877
47	2713	77		206	5155	1.900
48	2789	76		208	5363	1.923
49	2864	75	77.00	211	5574	1.946
50	2938	74		212	5786	1.969
51	3012	74		214	6000	1.992
52	3084	72		216	6216	2.016
53	3156	72		218	6434	2.039
54	3227	71		218	6652	2.061
55	3297	70		220	6872	2.084
56	3366	69	71.71	222	7094	2.108
57	3434	68		222	7316	2.130
58	3501	67		223	7539	2.153
59	3567	66		224	7763	2.176
60	3632	65		224	7987	2.199
61	3695	63		225	8212	2.222
62	3758	63		226	8438	2.245
63	3819	61	64.71	226	8664	2.269
64	3880	61		226	8890	2.291
65	3939	59		226	9116	2.314
66	3997	58		226	9342	2.337
67	4053	56		226	9568	2.361
68	4109	56		226	9794	2.384
69	4164	55		226	10020	2.406
70	4217	53	56.86	226	10246	2.430

### NOTE

*In the table values are rounded, this may result in small inaccuracies when using the objectives to calculate other performance statistics.*



## Contents

14-15    **Section**     **As-Hatched Performance**

16-17    **Section**     **Male Performance**

18-19    **Section**     **Female Performance**

As-Hatched Performance

Day	Bodyweight (lb)	Daily gain (lb)	Av. daily gain/week (lb)	Daily intake (lb)	Cum. intake (lb)	FCR
0	0.090	0.000				
1	0.120	0.030				
2	0.152	0.032				
3	0.187	0.035				
4	0.228	0.041				
5	0.274	0.046				
6	0.324	0.050				
7	0.382	0.058	0.042		0.332	0.869
8	0.444	0.062		0.077	0.409	0.921
9	0.510	0.066		0.086	0.495	0.971
10	0.584	0.074		0.095	0.590	1.010
11	0.665	0.081		0.105	0.695	1.045
12	0.752	0.087		0.113	0.808	1.074
13	0.845	0.093		0.126	0.934	1.105
14	0.945	0.100	0.080	0.136	1.070	1.132
15	1.051	0.106		0.146	1.216	1.157
16	1.163	0.112		0.159	1.375	1.182
17	1.281	0.118		0.169	1.544	1.205
18	1.407	0.126		0.183	1.727	1.227
19	1.536	0.129		0.195	1.922	1.251
20	1.672	0.136		0.207	2.129	1.273
21	1.813	0.141	0.124	0.219	2.348	1.295
22	1.961	0.148		0.233	2.581	1.316
23	2.113	0.152		0.245	2.826	1.337
24	2.270	0.157		0.256	3.082	1.358
25	2.432	0.162		0.272	3.354	1.379
26	2.596	0.164		0.282	3.636	1.401
27	2.766	0.170		0.293	3.929	1.420
28	2.940	0.174	0.161	0.306	4.235	1.440
29	3.117	0.177		0.319	4.554	1.461
30	3.296	0.179		0.330	4.884	1.482
31	3.478	0.182		0.342	5.226	1.503
32	3.663	0.185		0.352	5.578	1.523
33	3.850	0.187		0.365	5.943	1.544
34	4.039	0.189		0.372	6.315	1.564
35	4.229	0.190	0.184	0.384	6.699	1.584

## As-Hatched Performance continued

Day	Bodyweight (lb)	Daily gain (lb)	Av. daily gain/week (lb)	Daily intake (lb)	Cum. intake (lb)	FCR
36	4.420	0.190		0.394	7.093	1.605
37	4.612	0.192		0.402	7.495	1.625
38	4.805	0.193		0.412	7.907	1.646
39	4.999	0.194		0.419	8.326	1.666
40	5.193	0.194		0.428	8.754	1.686
41	5.386	0.193		0.436	9.190	1.706
42	5.578	0.192	0.193	0.443	9.633	1.727
43	5.770	0.192		0.449	10.082	1.747
44	5.961	0.191		0.456	10.538	1.768
45	6.151	0.190		0.462	11.000	1.788
46	6.341	0.190		0.468	11.468	1.809
47	6.528	0.187		0.471	11.939	1.829
48	6.715	0.187		0.477	12.416	1.849
49	6.898	0.183	0.189	0.483	12.899	1.870
50	7.080	0.182		0.485	13.384	1.890
51	7.261	0.181		0.490	13.874	1.911
52	7.439	0.178		0.493	14.367	1.931
53	7.615	0.176		0.495	14.862	1.952
54	7.789	0.174		0.498	15.360	1.972
55	7.960	0.171		0.500	15.860	1.992
56	8.129	0.169	0.176	0.503	16.363	2.013
57	8.295	0.166		0.504	16.867	2.033
58	8.458	0.163		0.505	17.372	2.054
59	8.619	0.161		0.506	17.878	2.074
60	8.777	0.158		0.506	18.385	2.095
61	8.931	0.154		0.507	18.892	2.115
62	9.084	0.153		0.509	19.401	2.136
63	9.233	0.149	0.158	0.508	19.909	2.156
64	9.381	0.148		0.508	20.417	2.176
65	9.524	0.143		0.508	20.925	2.197
66	9.665	0.141		0.508	21.433	2.217
67	9.802	0.137		0.507	21.940	2.238
68	9.938	0.136		0.505	22.445	2.259
69	10.070	0.132		0.505	22.950	2.279
70	10.199	0.129	0.138	0.504	23.454	2.300

### NOTE

*In the table values are rounded, this may result in small inaccuracies when using the objectives to calculate other performance statistics.*

## Male Performance

Day	Bodyweight (lb)	Daily gain (lb)	Av. daily gain/week (lb)	Daily intake (lb)	Cum. intake (lb)	FCR
0	0.090	0.000				
1	0.119	0.029				
2	0.152	0.033				
3	0.187	0.035				
4	0.229	0.042				
5	0.276	0.047				
6	0.326	0.050				
7	0.386	0.060	0.042		0.335	0.868
8	0.450	0.064		0.079	0.414	0.920
9	0.520	0.070		0.091	0.505	0.971
10	0.597	0.077		0.099	0.604	1.012
11	0.681	0.084		0.110	0.714	1.048
12	0.774	0.093		0.119	0.833	1.076
13	0.871	0.097		0.133	0.966	1.109
14	0.977	0.106	0.084	0.143	1.109	1.135
15	1.089	0.112		0.154	1.263	1.160
16	1.210	0.121		0.168	1.431	1.183
17	1.336	0.126		0.178	1.609	1.204
18	1.470	0.134		0.194	1.803	1.227
19	1.609	0.139		0.205	2.008	1.248
20	1.757	0.148		0.219	2.227	1.268
21	1.909	0.152	0.133	0.231	2.458	1.288
22	2.068	0.159		0.245	2.703	1.307
23	2.233	0.165		0.258	2.961	1.326
24	2.403	0.170		0.271	3.232	1.345
25	2.579	0.176		0.287	3.519	1.364
26	2.758	0.179		0.297	3.816	1.384
27	2.943	0.185		0.309	4.125	1.402
28	3.133	0.190	0.175	0.324	4.449	1.420
29	3.327	0.194		0.335	4.784	1.438
30	3.523	0.196		0.348	5.132	1.457
31	3.721	0.198		0.360	5.492	1.476
32	3.924	0.203		0.370	5.862	1.494
33	4.129	0.205		0.384	6.246	1.513
34	4.336	0.207		0.392	6.638	1.531
35	4.545	0.209	0.202	0.401	7.039	1.548



## Male Performance continued

Day	Bodyweight (lb)	Daily gain (lb)	Av. daily gain/week (lb)	Daily intake (lb)	Cum. intake (lb)	FCR
36	4.755	0.210		0.415	7.454	1.568
37	4.967	0.212		0.421	7.875	1.585
38	5.179	0.212		0.432	8.307	1.604
39	5.392	0.213		0.439	8.746	1.622
40	5.606	0.214		0.447	9.193	1.640
41	5.818	0.212		0.457	9.650	1.659
42	6.030	0.212	0.212	0.463	10.113	1.677
43	6.241	0.211		0.467	10.580	1.695
44	6.451	0.210		0.476	11.056	1.714
45	6.661	0.210		0.481	11.537	1.732
46	6.870	0.209		0.487	12.024	1.750
47	7.075	0.205		0.489	12.513	1.769
48	7.280	0.205		0.496	13.009	1.787
49	7.482	0.202	0.207	0.501	13.510	1.806
50	7.683	0.201		0.502	14.012	1.824
51	7.881	0.198		0.507	14.519	1.842
52	8.078	0.197		0.510	15.029	1.860
53	8.272	0.194		0.511	15.540	1.879
54	8.463	0.191		0.514	16.054	1.897
55	8.651	0.188		0.516	16.570	1.915
56	8.836	0.185	0.193	0.516	17.086	1.934
57	9.019	0.183		0.518	17.604	1.952
58	9.198	0.179		0.520	18.124	1.970
59	9.374	0.176		0.520	18.644	1.989
60	9.546	0.172		0.519	19.163	2.007
61	9.716	0.170		0.518	19.681	2.026
62	9.883	0.167		0.518	20.199	2.044
63	10.046	0.163	0.173	0.518	20.717	2.062
64	10.207	0.161		0.518	21.235	2.080
65	10.364	0.157		0.518	21.753	2.099
66	10.518	0.154		0.516	22.269	2.117
67	10.668	0.150		0.516	22.785	2.136
68	10.816	0.148		0.513	23.298	2.154
69	10.959	0.143		0.512	23.810	2.173
70	11.100	0.141	0.151	0.509	24.319	2.191

### NOTE

*In the table values are rounded, this may result in small inaccuracies when using the objectives to calculate other performance statistics.*

## Female Performance

Day	Bodyweight (lb)	Daily gain (lb)	Av. daily gain/week (lb)	Daily intake (lb)	Cum. intake (lb)	FCR
0	0.090	0.000				
1	0.121	0.031				
2	0.152	0.031				
3	0.187	0.035				
4	0.227	0.040				
5	0.271	0.044				
6	0.322	0.051				
7	0.377	0.055	0.041		0.328	0.870
8	0.437	0.060		0.075	0.403	0.922
9	0.500	0.063		0.082	0.485	0.970
10	0.571	0.071		0.090	0.575	1.007
11	0.648	0.077		0.100	0.675	1.042
12	0.730	0.082		0.108	0.783	1.073
13	0.818	0.088		0.119	0.902	1.103
14	0.913	0.095	0.077	0.128	1.030	1.128
15	1.012	0.099		0.138	1.168	1.154
16	1.116	0.104		0.150	1.318	1.181
17	1.226	0.110		0.161	1.479	1.206
18	1.343	0.117		0.172	1.651	1.229
19	1.462	0.119		0.185	1.836	1.256
20	1.587	0.125		0.194	2.030	1.279
21	1.717	0.130	0.115	0.208	2.238	1.303
22	1.854	0.137		0.220	2.458	1.326
23	1.993	0.139		0.232	2.690	1.350
24	2.136	0.143		0.242	2.932	1.373
25	2.284	0.148		0.256	3.188	1.396
26	2.434	0.150		0.267	3.455	1.419
27	2.588	0.154		0.277	3.732	1.442
28	2.747	0.159	0.147	0.289	4.021	1.464
29	2.906	0.159		0.302	4.323	1.488
30	3.069	0.163		0.313	4.636	1.511
31	3.234	0.165		0.324	4.960	1.534
32	3.402	0.168		0.333	5.293	1.556
33	3.571	0.169		0.346	5.639	1.579
34	3.741	0.170		0.353	5.992	1.602
35	3.913	0.172	0.167	0.366	6.358	1.625

## Female Performance continued

Day	Bodyweight (lb)	Daily gain (lb)	Av. daily gain/week (lb)	Daily intake (lb)	Cum. intake (lb)	FCR
36	4.085	0.172		0.373	6.731	1.648
37	4.257	0.172		0.383	7.114	1.671
38	4.431	0.174		0.393	7.507	1.694
39	4.605	0.174		0.399	7.906	1.717
40	4.780	0.175		0.408	8.314	1.739
41	4.954	0.174		0.416	8.730	1.762
42	5.126	0.172	0.173	0.423	9.153	1.786
43	5.298	0.172		0.430	9.583	1.809
44	5.470	0.172		0.437	10.020	1.832
45	5.642	0.172		0.443	10.463	1.854
46	5.812	0.170		0.448	10.911	1.878
47	5.981	0.169		0.454	11.365	1.900
48	6.149	0.168		0.458	11.823	1.923
49	6.314	0.165	0.170	0.465	12.288	1.946
50	6.477	0.163		0.468	12.756	1.969
51	6.640	0.163		0.472	13.228	1.992
52	6.799	0.159		0.476	13.704	2.016
53	6.958	0.159		0.480	14.184	2.039
54	7.114	0.156		0.481	14.665	2.061
55	7.269	0.155		0.485	15.150	2.084
56	7.421	0.152	0.158	0.489	15.639	2.107
57	7.571	0.150		0.490	16.129	2.130
58	7.718	0.147		0.491	16.620	2.153
59	7.864	0.146		0.494	17.114	2.176
60	8.007	0.143		0.494	17.608	2.199
61	8.146	0.139		0.496	18.104	2.222
62	8.285	0.139		0.498	18.602	2.245
63	8.419	0.134	0.143	0.499	19.101	2.269
64	8.554	0.135		0.498	19.599	2.291
65	8.684	0.130		0.498	20.097	2.314
66	8.812	0.128		0.498	20.595	2.337
67	8.935	0.123		0.498	21.093	2.361
68	9.059	0.124		0.498	21.591	2.383
69	9.180	0.121		0.498	22.089	2.406
70	9.297	0.117	0.125	0.498	22.587	2.430


### NOTE

*In the table values are rounded, this may result in small inaccuracies when using the objectives to calculate other performance statistics.*


## Carcase Yield

The following diagrams indicate how yields of the major portions change with increasing liveweight in each sex. Two types of processing are described; eviscerated yield is broken down into breast meat, thigh and drumstick to represent a portioning operation and into breast meat and leg meat to represent a deboning operation.

**ROSS 708 Male - Portion**




**ROSS 708 Female - Portion**




# ROSS 708 BROILER: Performance Objectives

## ROSS 708 Male - Debone



## ROSS 708 Female - Debone



## Definitions of terms:

- Eviscerated %** eviscerated carcasse, without neck, abdominal fat and internal organs, as a percentage of liveweight.
- Total Meat %** sum of breast meat, thigh deboned without skin and drumstick deboned without skin as a percentage of liveweight.
- Breast %** breast meat without skin and bone removed, as a percentage of liveweight.
- Thigh/Drumstick %** whole thigh/drumstick with skin and bone in, as a percentage of liveweight.  
sum of deboned thigh without skin and deboned drumstick.
- Leg Meat %** without skin as a percentage of liveweight.







Every attempt has been made to ensure the accuracy and relevance of the information presented. However, Aviagen accepts no liability for the consequences of using the information for the management of chickens.

For further information on the management of Ross stock, please contact your local Technical Service Manager or the Technical Services Department.

Newbridge, Midlothian  
EH28 8SZ, Scotland, UK

t. +44 (0) 131 333 1056  
f. +44 (0) 131 333 3296  
infoworldwide@aviagen.com

Cummings Research Park, 5015 Bradford Drive  
Huntsville, Alabama 35805, USA

t. +1 256 890 3800  
f. +1 256 890 3919  
info@aviagen.com

[www.aviagen.com](http://www.aviagen.com)

June 2007